

Rail systems
Glass roof awning



Ancona

Just
enjoy life!





Vario Valance


(optional for Interior type)

Especially when the sun is low in the sky, the Vario Valance offers variable protection from the sun and glare. The valance can be extended and retracted independently of the awning.



Ancona glass roof awning

Optionally with Vario Valance – for maximum comfort



Interior type

– for interior mounting on the rafters of the glass roof or conservatory, specially developed for freely suspended installation below a protective glass roof.



Below or above

- Width max. 600 cm, drop max. 450 cm (depending on type and equipment)
- Electric motor
- Comfort options:
Radio motor/radio remote control,
automatic weather sensor,
radiant heater,
Vario Valance (only Interior type)

Types to choose from:

- **Interior** for installation below a protective glass roof
- **Roof-mounted** for fitting on a conservatory or glass roof, including roof cover



The front drop can be adapted with centimetre accuracy to the rafter length of the glass roof or conservatory.

Whether fitted below or above the glass, the Ancona glass roof awning is the perfect solution for anyone who wishes to enjoy the conservatory or glass roof all year round and wants a practical, easy-care sunshade. The Interior type ensures that the awning remains dry, clean and safely protected from wind and weather damage. For roof mounting the Ancona awning is equipped with a protective roof cover.

Roof-mounted type

– for attachment from above to the rafters of the glass roof or conservatory. Since it is exposed to the effects of the weather, this awning type is always supplied with a protective roof cover.




Roof cover

– standard for Roof-mounted type
– optional extra for Interior type
Turns the awning casing into a cassette that protects the fabric and mechanism.



Ancona

Equipment and technical features



Manufactured and assembled in Germany
Quality and technology CE-compliant

Type	Interior	Roof-mounted
System height <i>(incl. standard attachment)</i>	154 mm	175 mm
Unit widths <i>(max.)</i>		
1 unit <i>(single field)</i>	600 cm	600 cm
Drop <i>(max.)</i>		
Depth <i>(incl. cassette and pulley)</i>	450 cm	450 cm
Drive		
Electric motor (for wall switch)	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
Radio motor (io)	<input type="checkbox"/>	<input type="checkbox"/>
Frame colours		
17 RAL colours + 6 textured finishes <i>(Lewens standard colours)</i>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
Additional RAL, special colours and effect finishes	<input type="checkbox"/>	<input type="checkbox"/>
Awning fabrics <i>from the LEWENS collection</i>		
Branded acrylic <i>(spun-dyed, ultra fade resistant)</i>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
Branded polyester <i>(spun-dyed, ultra fade resistant)</i>	<input type="checkbox"/>	<input type="checkbox"/>
Tenara quality sewing yarn	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
Ultrasonic seam welding	<input type="checkbox"/>	<input type="checkbox"/>
Options		
1 Radio motor + radio remote control (io)	<input type="checkbox"/>	<input type="checkbox"/>
2 Automatic weather sensor	sun <input type="checkbox"/>	sun, wind, rain <input type="checkbox"/>
3 Radiant heater <i>(only wall attachment)</i>	<input type="checkbox"/>	<input type="checkbox"/>
4 Extra fabric support wire	<input type="checkbox"/>	<input type="checkbox"/>
5 Roof cover	<input type="checkbox"/>	<i>always included!</i> <input checked="" type="checkbox"/>
6 Vario Valance <i>(not with 3)</i>	<input type="checkbox"/>	-
7 RTS solar radio motor <i>for Vario valance</i>	<input type="checkbox"/>	-
Attachment		
Interior mounting	<input checked="" type="checkbox"/>	-
Roof mounting	-	<input checked="" type="checkbox"/>
Attachment materials		
Rail holders <i>(without assembly screws/plugs)</i>	<input checked="" type="checkbox"/>	-
Mounting feet, size 10 <i>(without assembly screws/plugs)</i>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
zusätzliches Befestigungsmaterial	<input type="checkbox"/>	<input type="checkbox"/>
Note		
Due to the design and the weight of the awning fabric, the fabric may sag in the middle on large awning sizes. However, this has no effect on the operation and / or service life of the awning.		

Possible dimensions and restrictions along with the complete range of electronic accessories can be found in the technical data in the current Lewens price list.

Standard Option - not available



Your stockist will be happy to advise you:



www.lewens-markisen.de

Subject to technical alterations. Date: 06/2022